

The new Microsart® e.motion Dispenser – Sets Things in Motion



[To start click here](#)

Membrane filters on demand

The ability to accurately detect and quantify microorganisms in liquid samples is of prime importance for any quality control laboratory. This is why membrane filtration is the established method of choice for liquid testing as it provides reliable and reproducible results.

Facilitate your microbiological testing procedures with the new Microsart® e.motion dispenser:

The membrane filters are released from their sterile packaging fully automatically at the touch of a button, hands-free or by foot switch: the choice is yours!



e-shop

Dispenser

➔ Order Detail

➔ Membrane Filter

➔ Order Detail


➔ Accessories

➔ Order Detail

Speed and Convenience in Microbial Enumeration

In a high-throughput production environment, you need to complete your microbiological analyses fast, efficiently and reliably. Any contaminants in your liquid sample will have a direct impact on consumers' health and your product liability.

The fully automated Microsart® e.motion dispenser offers efficient and ergonomic workflows for reliable and fast membrane filter dispensing.



e-shop

Dispenser

→ Order Detail

→ Membrane Filter

→ Order Detail

→ Accessories

→ Order Detail

Flexibility of operation

The Microsart® e.motion dispenser offers the easiest and most flexible way of membrane filter dispensing.

You have the freedom of choice between 3 different operation modes!

Easily switch between the operating modes just by pressing the button. The type of operation mode will be indicated by light.

Choose what is most convenient for you:

- push-button
- sensor mode or
- foot-switch

Functional capability always 100% guaranteed!

Push-button

Simply push the button whenever you are ready for the next filtration to start.



Sensor mode

No-touch operation - one single movement over the sensor and a membrane filter is automatically dispensed.



Foot-switch

Hands free operation with the foot-switch option.



e-shop

Dispenser

➔ Order Detail

➔ Membrane Filter

➔ Order Detail

➔ Accessories

➔ Order Detail

Variety of membrane filters

Sartorius offers the widest selection of membrane filters: three different filter colors, a variety of pore sizes and distinctly visible gridlines. Making quantification and identification of the colonies as easy and reliable as possible.

The membrane filter band specially designed for the Microsart® e.motion dispenser can be conveniently inserted, and changed easily as needed. In addition you have the highest flexibility: the Microsart® e.motion membrane filters are useable with most commercially available membrane filter dispensers!

High Throughput

The new Big Packs with a capacity of up to 250 membrane filters allow full shift working without the necessity of reloading the Microsart e.motion dispenser. For efficient workflows and less interruptions!



e-shop

➔ Dispenser

➔ Order Detail

Membrane Filter

➔ Order Detail

➔ Accessories

➔ Order Detail

Increased efficiency

Your time is limited when you have to handle highly repetitive processes and heavy workloads day by day. In this case an efficient and ergonomic workflow is needed.

The new Big Pack Microsart® e.motion membrane filters with a capacity of 250 filters allow full shift working without the necessity of reloading the Microsart® e.motion dispenser. For efficient workflows and less interruptions!



e-shop

Dispenser

Order Detail

Membrane Filter

Order Detail

Accessories

Order Detail

Traceability

For complete traceability, the membrane filter type, diameter, lot number and a sequential number are printed on the paper of each membrane cell. In addition, data, such as sterilization and expiration date, pore size and bar code, make handling of these membranes easy and flexible.

The membrane filters' 100% quality and compliance with current standards and regulations, such as ISO 7704 for all 0.45 μm membrane filters, are confirmed in a certificate coming with each box of membrane filters.



e-shop

➔ Dispenser

➔ Order Detail

Membrane Filter

➔ Order Detail

➔ Accessories

➔ Order Detail


Membrane filter overview for Watertesting

Correct choice according to current ISO standards

All gridded 0.45 µm Sartorius filters are ISO 7704 conform

Organism	Guideline	Filter per guideline	Sartorius Dispenser – ready filters
Enterococci	ISO 7899-2:2000	0.45 µm	114H6Z-47----SCM (white) 138H6Z-47----SCM (green) 114H6Z-47----SJR (white, big pack)
E. Coli	ISO DIS 9308-1:2012	0.45 µm Cellulose-Esters*	
Legionella	ISO WD 11731:2012	0.22–0.45 µm black Cellulose Nitrate membranes	130H6Z-47----SCM (black) 130H6Z-47----SJR (black, big pack)
Clostridium perfringens	ISO DIS 14189:2013	0.45 µm	138H6Z-47----SCM (green) 114H6Z-47----SCM (white) 114H6Z-47----SJR (white, big pack)
Pseudomonas aeruginosa	ISO 16266:2006	0.45 µm	114H6Z-47----SCM (white) 114H6Z-47----SJR (white, big pack)
Campylobacter	ISO 17995:2005	0.45 µm; Cellulose-Esters	114H6Z-47----SCM (white) 114H6Z-47----SJR (white, big pack)
Salmonella	ISO 19250:2010	0.45 µm	114H6--47----SCM (white) 114H6Z-47----SJR (white, big pack)
Anaerobes (Clostridia)	ISO 6461-2:1986	0.2 µm	11407Z -47-----SCM (white)
Bacteriophages	ISO 10705 part 1-4	0.2 µm	11407Z-47----SCM (white)

*every lot to be tested according to ISO 7704



e-shop

➔ Dispenser

➔ Order Detail

➔ Membrane Filter

Order Detail

➔ Accessories

➔ Order Detail

Cableless & Portable

The dispenser's low weight and the convenient handle make it easy to remove or transport.

Moreover the Microsart® e.motion dispenser with battery operation can work cableless offering higher flexibility for working areas without power outlet. This allows convenient handling and eliminates cable clutter inside the laminar airflow cabinet.



e-shop

Dispenser

➔ Order Detail

➔ Membrane Filter

➔ Order Detail

➔ Accessories

➔ Order Detail

Microsart® e.motion dispenser

Choose between the battery-operated Microsart® e.motion dispenser which includes a long-lasting lithium accu or the version with power supply operation only.

Description	Order number
Microsart® e.motion dispenser, battery operation	16713----BO
Microsart® e.motion dispenser, power supply only	16713----PS

Dimensions & Weight

Dimensions:

(L × W × H) mm: 233 × 172 × 230

Weight:

16713----PS: 2.4 kg

16713----BO: 2.6 kg



e-shop

➤ Dispenser

Order Detail

➤ Membrane Filter

➤ Order Detail

➤ Accessories


➤ Order Detail

The right equipment for your application

The Microsart® e.motion dispenser meets all requirements placed on advanced equipment for microbial enumeration. In addition you can find everything you need for your liquid filtration: from tweezers to vacuum pumps and manifolds.

Choose the products best suited for your application from our comprehensive range of membrane filters, filtration units and filtration systems to ensure:

- Total ease of use
- Quality results
- Excellent cost-effectiveness



e-shop

➔ Dispenser

➔ Order Detail

➔ Membrane Filter

➔ Order Detail

Accessories

➔ Order Detail

Order Detail Accessories

Facilitate your microbiological testing procedures: Choose from our wide selection of manifolds and accessories as well as ready-to-use disposable units and funnels perfectly tailored to meet your specific requirements.

Please use the product configurator to find the equipment that meets your needs.

Description	Order number
Foot switch for Microsart® e.motion dispenser	1ZE---0028
Stainless-steel tweezers	16625
Microsart® e.jet Transfer Pump	166MP-4
Combisart® 3-branch stainless-steel manifold	16842
Combisart® 6-branch stainless-steel manifold	16843
Microsart® Base 47 mm	1ZU---0002



e-shop

➔ Dispenser

➔ Membrane Filter

➔ Accessories

➔ Order Detail

➔ Order Detail

Order Detail